

**TILT Xtra**

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : TILT Xtra

Design code : A10506A

**Manufacturer or supplier's details**

Company : Syngenta Australia Pty Ltd (ABN 33 002 933 717)  
www.syngenta.com.au

Address : 2-4 Lyonpark Road  
Macquarie Park NSW 2113  
Australia

Telephone : (02) 8014 5200

Emergency telephone number : 13 11 26 (Poison Information Centre)  
1800 033 111 (Syngenta)

Telefax : (02) 8876 8446

**Recommended use of the chemical and restrictions on use**

Recommended use : Fungicide

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 4

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H319 Causes serious eye irritation.  
H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:**

---

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 Store in a well-ventilated place.  
 P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-ethylhexyl acetate	103-09-3	>= 30 -< 60
propiconazole (ISO)	60207-90-1	>= 10 -< 30
N-methyl-2-pyrrolidone	872-50-4	>= 0.3 -< 10
cyproconazole (ISO)	94361-06-5	>= 3 -< 10
alcohols, C16-18 and C18-unsatd., ethoxylated	68920-66-1	< 10
calcium dodecylbenzene sulphonate	26264-06-2	>= 3 -< 10
2-methylpropan-1-ol	78-83-1	>= 1 -< 3

## SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

		<p>If breathing is irregular or stopped, administer artificial respiration.</p> <p>Keep patient warm and at rest.</p> <p>Call a physician or poison control centre immediately.</p>
In case of skin contact	:	<p>Take off all contaminated clothing immediately.</p> <p>Wash off immediately with plenty of water.</p> <p>If skin irritation persists, call a physician.</p>
In case of eye contact	:	<p>Wash contaminated clothing before re-use.</p> <p>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</p> <p>Remove contact lenses.</p> <p>Immediate medical attention is required.</p>
If swallowed	:	<p>If swallowed, seek medical advice immediately and show this container or label.</p> <p>Do NOT induce vomiting.</p>
Most important symptoms and effects, both acute and delayed	:	<p>Nonspecific</p> <p>No symptoms known or expected.</p>
Notes to physician	:	<p>There is no specific antidote available.</p> <p>Treat symptomatically.</p>

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	<p>Extinguishing media - small fires</p> <p>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.</p> <p>Extinguishing media - large fires</p> <p>Alcohol-resistant foam</p>
Unsuitable extinguishing media	:	<p>Do not use a solid water stream as it may scatter and spread fire.</p>
Specific hazards during fire-fighting	:	<p>As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).</p> <p>Exposure to decomposition products may be a hazard to health.</p> <p>Flash back possible over considerable distance.</p>
Specific extinguishing methods	:	<p>Do not allow run-off from fire fighting to enter drains or water courses.</p> <p>Cool closed containers exposed to fire with water spray.</p>
Special protective equipment for firefighters	:	<p>Wear full protective clothing and self-contained breathing apparatus.</p>
Hazchem Code	:	<p>•3Z</p>

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	<p>Refer to protective measures listed in sections 7 and 8.</p> <p>Keep people away from and upwind of spill/leak.</p> <p>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</p> <p>Remove all sources of ignition.</p> <p>Pay attention to flashback.</p>
Environmental precautions	:	<p>Prevent further leakage or spillage if safe to do so.</p>

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propiconazole (ISO)	60207-90-1	TWA	5 mg/m <sup>3</sup>	Syngenta
N-methyl-2-pyrrolidone	872-50-4	STEL	75 ppm 309 mg/m <sup>3</sup>	AU OEL
Further information: Skin absorption				
		TWA	25 ppm 103 mg/m <sup>3</sup>	AU OEL
Further information: Skin absorption				
cyproconazole (ISO)	94361-06-5	TWA	0.4 mg/m <sup>3</sup>	Syngenta
2-methylpropan-1-ol	78-83-1	TWA	50 ppm 152 mg/m <sup>3</sup>	AU OEL
		TWA	50 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as)	100 mg/l	ACGIH BEI

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

				possible after exposure ceases)		
--	--	--	--	--	--	--

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a half face mask  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

#### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Tightly fitting safety goggles  
Always wear eye protection when the potential for inadvertent

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

Skin and body protection : eye contact with the product cannot be excluded.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

Personal protective equipment should comply with relevant national standards

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow-orange to dark brown

Odour : No data available

Odour Threshold : No data available

pH : 4 - 8  
Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : 63 °C  
Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.025 g/cm<sup>3</sup> (20 °C)

**TILT Xtra**

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

---

Solubility(ies)  
Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : 295 °C

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : 15.9 mPa.s ( 20 °C)  
8.0 mPa.s ( 40 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

---

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### **propiconazole (ISO):**

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

#### **N-methyl-2-pyrrolidone:**

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

#### **cyproconazole (ISO):**

Acute oral toxicity : LD50 (Rat, male): 350 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.03 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **2-methylpropan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 24.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 - 2,460 mg/kg

**TILT Xtra**

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

---

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****2-ethylhexyl acetate:**

Species : Rabbit  
Result : Irritating to skin.

**propiconazole (ISO):**

Species : Rabbit  
Result : No skin irritation

**N-methyl-2-pyrrolidone:**

Species : Rabbit  
Result : Irritating to skin.

**cyproconazole (ISO):**

Species : Rabbit  
Result : No skin irritation

**alcohols, C16-18 and C18-unsatd., ethoxylated:**

Result : Irritating to skin.

**calcium dodecylbenzene sulphonate:**

Result : Irritating to skin.

**2-methylpropan-1-ol:**

Result : Irritating to skin.

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Components:****propiconazole (ISO):**

Species : Rabbit  
Result : No eye irritation

**TILT Xtra**

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

---

**N-methyl-2-pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**cyproconazole (ISO):**

Species : Rabbit  
Result : No eye irritation

**calcium dodecylbenzene sulphonate:**

Result : Risk of serious damage to eyes.

**2-methylpropan-1-ol:**

Result : Risk of serious damage to eyes.

**Respiratory or skin sensitisation****Product:**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**Components:****propiconazole (ISO):**

Species : Guinea pig  
Result : The product is a skin sensitiser, sub-category 1B.

**cyproconazole (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**2-methylpropan-1-ol:**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.  
Remarks : Information given is based on data obtained from similar substances.

**Chronic toxicity****Germ cell mutagenicity****Components:****2-ethylhexyl acetate:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**propiconazole (ISO):**

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**N-methyl-2-pyrrolidone:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**cyproconazole (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity**

**Components:**

**2-ethylhexyl acetate:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**propiconazole (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**N-methyl-2-pyrrolidone:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**cyproconazole (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**Reproductive toxicity**

**Components:**

**propiconazole (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**N-methyl-2-pyrrolidone:**

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**cyproconazole (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

**Components:**

**propiconazole (ISO):**

Assessment : The substance or mixture is not classified as specific target

## TILT Xtra

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
7.0	19.10.2021	S1126265442	

organ toxicant, single exposure.

### **N-methyl-2-pyrrolidone:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### **2-methylpropan-1-ol:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.  
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### **STOT - repeated exposure**

#### **Components:**

#### **propiconazole (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **cyproconazole (ISO):**

Target Organs : Liver  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Product:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 13.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia similis (water flea)): 31.6 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 1.1 mg/l  
Exposure time: 96 h

#### **Components:**

#### **2-ethylhexyl acetate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.27 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 22.9 mg/l

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

- aquatic invertebrates      Exposure time: 48 h
- Toxicity to algae/aquatic plants      :      ErC50 (*Scenedesmus capricornutum* (fresh water algae)): > 21.9 mg/l  
Exposure time: 72 h
- propiconazole (ISO):**
- Toxicity to fish      :      LC50 (*Oncorhynchus mykiss* (rainbow trout)): 4.3 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates      :      EC50 (*Americamysis*): 0.51 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants      :      ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 8.9 mg/l  
Exposure time: 96 h
- NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 0.13 mg/l  
End point: Growth rate  
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity)      :      NOEC (*Cyprinodon variegatus* (sheepshead minnow)): 0.068 mg/l  
Exposure time: 95 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :      NOEC (*Americamysis*): 0.11 mg/l  
Exposure time: 28 d
- Toxicity to microorganisms      :      EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### Ecotoxicology Assessment

- Acute aquatic toxicity      :      Very toxic to aquatic life.

### N-methyl-2-pyrrolidone:

- Toxicity to fish      :      LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 500 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates      :      EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l  
Exposure time: 24 h
- Toxicity to algae/aquatic plants      :      EC50 (*Desmodesmus subspicatus* (green algae)): > 500 mg/l  
Exposure time: 72 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :      NOEC (*Daphnia magna* (Water flea)): 12.5 mg/l  
Exposure time: 21 d

### cyproconazole (ISO):

- Toxicity to fish      :      LC50 (*Oncorhynchus mykiss* (rainbow trout)): 19 mg/l  
Exposure time: 96 h

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.077 mg/l  
Exposure time: 96 h

NOEC (Desmodesmus subspicatus (green algae)): 0.021 mg/l  
Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): > 0.2 mg/l  
Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 0.025 mg/l  
End point: Growth rate  
Exposure time: 7 d

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.305 mg/l  
Exposure time: 93 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.023 mg/l  
Exposure time: 21 d

### alcohols, C16-18 and C18-unsatd., ethoxylated:

Toxicity to fish : LC50 (Fish): estimated 1.26 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Aquatic invertebrates (general)): 2.6 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 2.3 mg/l  
Exposure time: 72 h

EC10 (algae): 0.33 mg/l  
End point: Biomass  
Exposure time: 72 h

### calcium dodecylbenzene sulphonate:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### 2-methylpropan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l  
Exposure time: 72 h

**TILT Xtra**

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d

**Persistence and degradability****Components:****2-ethylhexyl acetate:**

Biodegradability : Result: Readily biodegradable.

**propiconazole (ISO):**

Biodegradability : Result: Not readily biodegradable.

**N-methyl-2-pyrrolidone:**

Biodegradability : Result: Readily biodegradable.

**cyproconazole (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 5 d (20 °C)  
Remarks: Product is not persistent.

**alcohols, C16-18 and C18-unsatd., ethoxylated:**

Biodegradability : Result: rapidly biodegradable  
Remarks: Based on data from similar materials

**2-methylpropan-1-ol:**

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential****Components:****propiconazole (ISO):**

Bioaccumulation : Remarks: Medium bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.72 (25 °C)

**N-methyl-2-pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.46 (25 °C)

**cyproconazole (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.1 (25 °C)

## TILT Xtra

Version  
7.0

Revision Date:  
19.10.2021

SDS Number:  
S1126265442

This version replaces all previous versions.

### Mobility in soil

#### Components:

##### **propiconazole (ISO):**

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.  
Stability in soil : Dissipation time: 66 - 170 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

##### **cyproconazole (ISO):**

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.  
Stability in soil : Dissipation time: 100 - 124 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### **2-ethylhexyl acetate:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **propiconazole (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **N-methyl-2-pyrrolidone:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **2-methylpropan-1-ol:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with

## TILT Xtra

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

Contaminated packaging : local regulations.  
 : Non-returnable containers:  
 Triple rinse containers.  
 Add rinsings to spray tank  
 If recycling, replace cap and return clean containers to recycler or designated collection point. Containers marked with the drumMUSTER container logo can be taken to a drumMUSTER collection site (02 6206 6868, www.drummuster.org.au). Empty containers can be landfilled, when in accordance with the local regulations.  
 If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.  
 Returnable containers:  
 Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROPICONAZOLE AND CYPROCONAZOLE)  
 Class : 9  
 Packing group : III  
 Labels : 9

##### IATA-DGR

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (PROPICONAZOLE AND CYPROCONAZOLE)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROPICONAZOLE AND CYPROCONAZOLE)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

**TILT Xtra**

Version 7.0      Revision Date: 19.10.2021      SDS Number: S1126265442      This version replaces all previous versions.

---

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROPICONAZOLE AND CYPROCONAZOLE)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : •3Z  
Remarks : Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 6  
Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.  
Product Registration Number : APVMA Approval No. 58167

---

**SECTION 16. OTHER INFORMATION**

Revision Date : 19.10.2021  
Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

## TILT Xtra

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
7.0	19.10.2021	S1126265442	

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
 AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average  
 AU OEL / TWA : Exposure standard - time weighted average  
 AU OEL / STEL : Exposure standard - short term exposure limit

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN