

**POISON**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**suSCon<sup>®</sup>**  
**BLUE**  
**SOIL INSECTICIDE**

**ACTIVE CONSTITUENT: 140g/kg CHLORPYRIFOS  
(An anticholinesterase compound)**

**GROUP 1B INSECTICIDE**

**Controls cane grubs for up to three years  
using sustained control technology.**

**IMPORTANT : READ THE ATTACHED LEAFLET BEFORE USE**

**NET CONTENTS: 20 kg**

**Crop Care Australasia Pty Ltd, Unit 15/16 Metroplex Avenue, Murarrie Qld 4172**

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, well-ventilated area at 20 - 30°C out of direct sunlight. DO NOT store for prolonged periods at temperatures below 20°C.

Shake bag/box contents into the applicator until empty. Do not dispose of product on site.

Puncture or shred and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. Avoid contact with eyes. When opening the container and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves, goggles and disposable dust mask. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

**Additional information is listed in the Material Safety Data Sheet.**

## Conditions of Sale

Crop Care Australasia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In an Emergency Dial <b>000</b> Police or Fire Brigade	<b>SPECIALIST ADVICE IN EMERGENCY ONLY</b> <b>1800 033 498</b> ALL HOURS - AUSTRALIA WIDE
--	---

'suSCon' is a Registered Trademark.

BN

DOM



Crop Care Australasia Pty Ltd  
ACN 061 362 347  
Unit 15/16 Metroplex Avenue  
Murarrie Qld 4172  
Tel: (07) 3909 2000

EAN 13 and EAN128 barcodes and Item Print Code
---

APVMA Approval No. : 47538/20KG/1206

**POISON**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**suSCon<sup>®</sup>  
BLUE  
SOIL INSECTICIDE**

**ACTIVE CONSTITUENT: 140g/kg CHLORPYRIFOS  
(An anticholinesterase compound)**

**GROUP 1B INSECTICIDE**

**Controls cane grubs for up to three years  
using sustained control technology.**

**THE INNER BAG MUST NOT BE SOLD SEPARATELY.  
DO NOT DESTROY BOX WHILE PRODUCT STILL REMAINS.**

**IMPORTANT : READ THE ATTACHED LEAFLET BEFORE USE**

**NET CONTENTS: 10 & 15 kg**

**Crop Care Australasia Pty Ltd, Unit 15/16 Metroplex Avenue, Murarrie Qld 4172**

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, well-ventilated area at 20 - 30°C out of direct sunlight. DO NOT store for prolonged periods at temperatures below 20°C.

Shake bag/box contents into the applicator until empty. Do not dispose of product on site.

Puncture or shred and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. Avoid contact with eyes. When opening the container and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves, goggles and disposable dust mask. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

**Additional information is listed in the Material Safety Data Sheet.**

## Conditions of Sale

Crop Care Australasia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In an Emergency Dial <b>000</b> Police or Fire Brigade	<b>SPECIALIST ADVICE IN EMERGENCY ONLY</b> <b>1800 033 498</b> ALL HOURS - AUSTRALIA WIDE
--	---

'suSCon' is a Registered Trademark.

BN

DOM



Crop Care Australasia Pty Ltd  
ACN 061 362 347  
Unit 15/16 Metroplex Avenue  
Murarrie Qld 4172  
Tel: (07) 3909 2000

EAN 13 and EAN128 barcodes and Item Print Code
---

APVMA Approval No. : 47538/10KGA/1206  
47538/15KGA/1206

**POISON**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**suSCon<sup>®</sup>**  
**BLUE**  
**SOIL INSECTICIDE**

**ACTIVE CONSTITUENT: 140g/kg CHLORPYRIFOS  
(An anticholinesterase compound)**

**Controls cane grubs for up to three years  
using sustained control technology.**

**BEFORE USING PRODUCT, READ DIRECTIONS ON OUTER PACK. SALE OF THIS BAG  
EXCEPT IN OUTER PACK IS ILLEGAL.**

**NET CONTENTS: 10 & 15 kg**

## **STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, well-ventilated area at 20 - 30°C out of direct sunlight. DO NOT store for prolonged periods at temperatures below 20°C.

Shake bag/box contents into the applicator until empty. Do not dispose of product on site.

Puncture or shred and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## **SAFETY DIRECTIONS**

Harmful if swallowed. Will irritate the eyes. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. Avoid contact with eyes. When opening the container and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves, goggles and disposable dust mask. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

## **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

**Additional information is listed in the Material Safety Data Sheet.**

**In case of emergency: Phone 1800 033 498**

Ask for shift supervisor. Toll free 24 hours.

'suSCon' is a Registered Trademark.



Crop Care Australasia Pty Ltd  
ACN 061 362 347  
Unit 15/16 Metroplex Avenue  
Murarrie Qld 4172  
Tel: (07) 3909 2000

APVMA Approval No. : 47538/10KGB/1206  
47538/15KGB/1206

**POISON**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**suSCon<sup>®</sup>  
BLUE  
SOIL INSECTICIDE**

**ACTIVE CONSTITUENT: 140g/kg CHLORPYRIFOS  
(An anticholinesterase compound)**

<b>GROUP</b>	<b>1B</b>	<b>INSECTICIDE</b>
--------------	-----------	--------------------

**Controls cane grubs for up to three years  
using sustained control technology.**

**IMPORTANT: READ THIS LEAFLET BEFORE USING THIS  
PRODUCT**

**Crop Care Australasia Pty Ltd, Unit 15/16 Metroplex Avenue, Murarrie Qld 4172**

**DIRECTIONS FOR USE (NSW, WA & QLD ONLY)**

**RESTRAINT:** The persistence of suSCon Blue may be reduced on neutral and alkaline soils - refer to General Instructions for more detail.

PESTS CONTROLLED SUGAR CANE ONLY	STATE	RATE		CRITICAL COMMENTS
		Per ha	per 100m row	
French's canegrub ( <i>Lepidiota frenchi</i> ) Bundaberg canegrub ( <i>L. crinita</i> ) Consobrina canegrub (2 yr race) ( <i>L. consobrina</i> ) Squamulata canegrub ( <i>L. squamulata</i> ) Childers canegrub ( <i>Antitrogus parvulus</i> ) Southern 1 year canegrub (Gympie to Bundaberg) ( <i>A. consanguineus</i> )	QLD & WA only	21kg for 3 year control	315g for 3 year control	<b>CHILDERS GRUB</b> The control of Childers grub may be adversely affected under hot dry (i.e. not irrigated) soil conditions. In combination with heavy grub infestation, protection from damage may not be satisfactory.
Nambour canegrub (Nambour and Rocky Point) ( <i>A. rugulosus</i> )	QLD & WA only	28kg for 3 year control	420g for 3 year control	
Consobrina canegrub (1 yr race) ( <i>L. consobrina</i> )	QLD & WA only	28kg for 3 year control OR 21kg for 2 year control	420g for 3 year control OR 315g for 2 year control	
Negatoria canegrub ( <i>L. negatoria</i> )	QLD & WA only	28kg for 3 year control	420g for 3 year control	
Rhopaea canegrub ( <i>Rhopaea magnicornis</i> )	NSW & WA only	28kg for 2 year control	420g for 2 year control	
Picticollis canegrub ( <i>L. picticollis</i> )	QLD & WA only	21kg for 2 year control	315g for 2 year control	
Greyback canegrub ( <i>Dermolepida albohirtum</i> )	QLD & WA only	21 kg for 1 year control *	315g for 1 year control *	
Wireworm ( <i>Heteroderes sp.</i> )	Southern QLD & WA only	21kg	315g	For protection of setts from eye damage, apply at planting only. (As detailed in 1 below)

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## GENERAL INSTRUCTIONS

### Insecticide Resistance Warning

**GROUP 1B INSECTICIDE**

For insecticide resistance management suSCon Blue Soil Insecticide is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to suSCon Blue Soil Insecticide and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if suSCon Blue Soil Insecticide or other Group 1B insecticides are used repeatedly. The effectiveness of suSCon Blue Soil Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Crop Care Australasia Pty Ltd accepts no liability for any losses that may result from the failure of suSCon Blue Soil Insecticide to control resistant insects.

suSCon Blue Soil Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Crop Care Australasia Pty Ltd representative or local agricultural department agronomist.

### SOIL pH WARNING

The persistence of chlorpyrifos, the active ingredient in suSCon Blue, may be significantly reduced around suSCon Blue granules in soil, where the pH is above 6.5 (neutral to alkaline). This results from alkaline hydrolysis of the chlorpyrifos, and when this occurs, canegrub control may be less than satisfactory during the period for which control would normally be expected.

Applications of lime or other soil amendments that increase soil pH should not be made at times close to the intended application of suSCon Blue. Instead they should be made to the last ratoon of a cropping cycle or before plough out.

The use of alkaline irrigation water may also increase soil pH.

### Application recommendations


suSCon Blue should be applied directly to the soil through a precision granule applicator.

Apply granules in a band 15 - 20cm wide across the centre of the row by one of the methods listed below. Cover granules with at least 5cm of compacted soil or 10cm of loose soil, immediately after application. DO NOT remove soil or disturb granules in subsequent cultivation. Bring in further covering soil as cane growth allows.

Granules should be covered by 15 - 20cm of compacted soil once the row is finished and hilled up. This placement can be achieved by the following application methods:

#### 1. APPLY AT PLANTING

Mix granules with incoming soil behind the planter boards to form a layer 2-3cm deep and 15-20cm wide across the row. Granules may safely touch the sett.



Furrow position immediately  
after application


Hill position after  
row is finished

This method is most suitable where there is 20 cm or less soil above the sett in the finished hilled row, and especially where French's, Consobrina (2 yr race), Negatoria or Childers grub are a major local pest.

## 2. APPLY INTO THE FURROW

### (a) AT FIRST WORKING


Apply granules in a band 15 - 20cm wide across the centre of the furrow, and 2 - 5cm above the sett, depending on planting depth.



This method is most suitable where there will be 17 - 20cm of soil above the sett in the finished hilled row, especially where greyback and other grubs occur together.

### (b) AT CUTAWAY OR DRILL FILL-IN

Apply granules in a band 15 - 20cm wide across the centre of the furrow, and between 5 - 15cm above the sett depending on row depth.



This method is recommended where there will be more than 20cm of soil above the sett in the finished hilled row especially where greyback grub is the major pest.

### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

Dangerous to fish and other aquatic invertebrates.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

DO NOT leave granules above ground as they are dangerous to wildlife, particularly birds.

### **STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, well-ventilated area at 20 - 30°C out of direct sunlight. DO NOT store for prolonged periods at temperatures below 20°C.

Shake the bag/box contents into the applicator until empty. Do not dispose of product on site.

Puncture or shred and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

### **SAFETY DIRECTIONS**

Harmful if swallowed. Will irritate the eyes. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. Avoid contact with eyes. When opening the container and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves, goggles and disposable dust mask. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

**Additional information is listed in the Material Safety Data Sheet.**

### **Conditions of Sale**

Crop Care Australasia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In an Emergency Dial <b>000</b> Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY <b>1800 033 498</b> ALL HOURS - AUSTRALIA WIDE
--	--

'suSCon' is a Registered Trademark.



Crop Care Australasia Pty Ltd  
ACN 061 362 347  
Unit 15/16 Metroplex Avenue  
Murarrie Qld 4172  
Tel: (07) 3909 2000

APVMA Approval No. : 47538/1206